

Time	Acc %	EBP	IPR	MAP	VGT	Eng Load	RPM	ICP V	Speed
41:41.5	-	17.25	32.09	14.57	-	-	1965.25	1.56	54.68
41:42.0	-	17.25	32.09	14.57	-	51.76	2445.25	1.56	55.92
41:42.5	99.5	17.25	32.09	14.57	-	51.76	2445.25	1.56	55.92
41:43.0	99.5	53.36	32.09	14.57	-	51.76	2445.25	1.56	55.92
41:43.5	99.5	53.36	83.11	43.39	-	51.76	2445.25	1.56	55.92
41:44.0	99.5	53.36	83.11	43.39	28.99	51.76	2445.25	4.38	55.92
41:44.5	99.5	53.36	83.11	43.39	28.99	51.76	3510.25	4.38	55.92
41:45.0	99.5	53.36	83.11	43.39	28.99	81.57	3510.25	4.38	72.08
41:45.5	99.5	53.36	83.11	43.39	28.99	81.57	3510.25	4.38	72.08
41:46.0	99.5	53.36	93.94	43.39	28.99	81.57	3510.25	4.38	72.08
41:46.5	99.5	53.36	93.94	43.39	23.66	81.57	3510.25	4.38	72.08
41:47.0	99.5	53.36	93.94	43.39	23.66	81.57	3510.25	4.49	72.08
41:47.5	99.5	53.36	93.94	43.39	23.66	81.57	3693.50	4.49	85.75
41:48.0	99.5	53.36	93.94	43.39	23.66	81.57	3693.50	4.49	85.75
41:48.5	99.5	53.36	93.94	43.39	23.66	81.57	3693.50	4.49	85.75
41:49.0	99.5	53.36	92.78	43.43	23.66	81.57	3693.50	4.49	85.75
41:49.5	99.5	53.36	92.78	43.43	16.06	81.57	3693.50	3.99	85.75
41:50.0	99.5	53.36	92.78	43.43	16.06	81.57	3835.75	3.99	85.75
41:50.5	76	53.36	92.78	43.43	16.06	81.57	3835.75	3.99	95.69
41:51.0	76	39.37	92.78	43.43	16.06	81.57	3835.75	3.99	95.69
41:51.5	76	39.37	34.02	21.42	16.06	81.57	3835.75	3.99	95.69
41:52.0	76	39.37	34.02	21.42	21.66	81.57	3835.75	3.99	95.69
41:52.5	76	39.37	34.02	21.42	21.66	81.57	3835.75	1.21	95.69
41:53.0	76	39.37	34.02	21.42	21.66	0.00	2010.25	1.21	88.23
41:53.5	0	15.33	34.02	21.42	21.66	0.00	2010.25	1.21	88.23
41:54.0	0	15.33	34.02	21.42	21.66	0.00	2010.25	1.21	88.23
41:54.5	0	15.33	28.99	15.19	21.66	0.00	2010.25	1.21	88.23
41:55.0	0	15.33	28.99	15.19	32.66	0.00	2010.25	1.11	88.23
41:55.5	0	15.33	28.99	15.19	32.66	0.00	1651.75	1.11	88.23
41:56.0	0	15.33	28.99	15.19	32.66	0.00	1651.75	1.11	75.81
41:56.5	0	15.84	28.99	15.19	32.66	0.00	1651.75	1.11	75.81
41:57.0	0	15.84	25.51	15.30	32.66	0.00	1651.75	1.11	75.81
41:57.5	0	15.84	25.51	15.30	41.18	0.00	1651.75	1.11	75.81
41:58.0	0	15.84	25.51	15.30	41.18	0.00	1651.75	0.97	75.81
41:58.5	0	15.84	25.51	15.30	41.18	0.00	1265.50	0.97	65.24
41:59.0	0	16.42	25.51	15.30	41.18	0.00	1265.50	0.97	65.24
41:59.5	0	16.42	22.81	15.23	41.18	0.00	1265.50	0.97	65.24
42:00.0	0	16.42	22.81	15.23	46.70	0.00	1265.50	0.97	65.24
42:00.5	0	16.42	22.81	15.23	46.70	0.00	1265.50	0.85	65.24
42:01.0	0	16.42	22.81	15.23	46.70	5.88	1170.00	0.85	59.65

Time	Acc %	EBP	IPR	MAP	VGT	Eng Load	RPM	ICP V	Speed
43:28.1	14	18.16	27.45	16.31	50.15	5.88	1444.75	1.02	54.68
43:28.6	14	18.16	30.15	16.31	50.15	5.88	1444.75	1.02	54.68
43:29.1	14	18.16	30.15	16.46	50.15	5.88	1444.75	1.02	54.68
43:29.6	14	18.16	30.15	16.46	49.12	5.88	1444.75	1.26	54.68
43:30.1	14	18.16	30.15	16.46	49.12	5.88	1719.00	1.26	54.68
43:30.6	21	20.92	30.15	16.46	49.12	22.35	1719.00	1.26	54.68
43:31.1	21	20.92	30.15	16.46	49.12	22.35	1719.00	1.26	54.68
43:31.6	21	20.92	33.25	19.00	49.12	22.35	1719.00	1.26	54.68
43:32.1	21	20.92	33.25	19.00	46.30	22.35	1719.00	1.26	54.68
43:32.6	21	20.92	33.25	19.00	46.30	22.35	1719.00	1.15	54.68
43:33.1	19	20.92	33.25	19.00	46.30	20.00	1621.75	1.15	55.30
43:33.6	19	19.97	33.25	19.00	46.30	20.00	1621.75	1.15	55.30
43:34.1	19	19.97	29.77	19.00	46.30	20.00	1621.75	1.15	55.30
43:34.6	19	19.97	29.77	17.33	46.30	20.00	1621.75	1.15	55.30
43:35.1	19	19.97	29.77	17.33	46.55	20.00	1621.75	1.09	55.30
43:35.6	19	19.97	29.77	17.33	46.55	20.00	1617.75	1.09	55.92
43:36.1	20	19.97	29.77	17.33	46.55	20.39	1617.75	1.09	55.92
43:36.6	20	20.66	29.77	17.33	46.55	20.39	1617.75	1.09	55.92
43:37.1	20	20.66	35.18	18.78	46.55	20.39	1617.75	1.09	55.92
43:37.6	20	20.66	35.18	18.78	50.22	20.39	1617.75	1.95	55.92
43:38.1	20	20.66	35.18	18.78	50.22	20.39	3093.25	1.95	55.92
43:38.6	99.5	20.66	35.18	18.78	50.22	81.96	3093.25	1.95	60.27
43:39.1	99.5	53.36	35.18	18.78	50.22	81.96	3093.25	1.95	60.27
43:39.6	99.5	53.36	93.94	43.43	50.22	81.96	3093.25	1.95	60.27
43:40.1	99.5	53.36	93.94	43.43	20.64	81.96	3093.25	1.95	60.27
43:40.6	99.5	53.36	93.94	43.43	20.64	81.96	3093.25	3.58	60.27
43:41.1	99.5	53.36	93.94	43.43	20.64	81.96	3634.50	3.58	75.81
43:41.6	99.5	53.36	93.94	43.43	20.64	81.96	3634.50	3.58	75.81
43:42.1	99.5	53.36	93.94	43.39	20.64	81.96	3634.50	3.58	75.81
43:42.6	99.5	53.36	93.94	43.39	15.00	81.96	3634.50	3.63	75.81
43:43.1	99.5	53.36	93.94	43.39	15.00	81.96	3821.50	3.63	86.99
43:43.6	99.5	53.36	93.94	43.39	15.00	81.57	3821.50	3.63	86.99
43:44.1	99.5	53.36	93.94	43.39	15.00	81.57	3821.50	3.63	86.99
43:44.6	99.5	53.36	93.94	43.43	15.00	81.57	3821.50	3.63	86.99
43:45.1	99.5	53.36	93.94	43.43	15.00	81.57	3821.50	3.63	86.99
43:45.6	99.5	53.36	93.94	43.43	15.00	81.57	3821.50	3.26	86.99
43:46.1	99.5	53.36	93.94	43.43	15.00	0.00	2311.50	3.26	92.58
43:46.6	0	53.36	93.94	43.43	15.00	0.00	2311.50	3.26	92.58
43:47.1	0	17.29	93.94	43.43	15.00	0.00	2311.50	3.26	92.58
43:47.6	0	17.29	28.99	16.53	15.00	0.00	2311.50	3.26	92.58
43:48.1	0	17.29	28.99	16.53	26.76	0.00	2311.50	3.26	92.58
43:48.6	0	17.29	28.99	16.53	26.76	0.00	1713.00	1.14	92.58
43:49.1	0	17.29	28.99	16.53	26.76	0.00	1713.00	1.14	76.43
43:49.6	0	16.06	28.99	16.53	26.76	0.00	1713.00	1.14	76.43
43:50.1	0	16.06	23.97	15.12	26.76	0.00	1713.00	1.14	76.43
43:50.6	0	16.06	23.97	15.12	40.01	0.00	1713.00	1.14	76.43
43:51.1	0	16.06	23.97	15.12	40.01	0.00	1713.00	0.92	76.43
43:51.6	0	16.06	23.97	15.12	40.01	0.00	1239.50	0.92	62.76
43:52.1	0	15.99	23.97	15.12	40.01	0.00	1239.50	0.92	62.76
43:52.6	0	15.99	23.97	15.12	40.01	0.00	1239.50	0.92	62.76
43:53.1	0	15.99	22.81	15.23	40.01	0.00	1239.50	0.92	62.76
43:53.6	0	15.99	22.81	15.23	45.46	0.00	1239.50	0.85	62.76
43:54.1	0	15.99	22.81	15.23	45.46	0.00	1049.75	0.85	62.76
43:54.6	0	15.99	22.81	15.23	45.46	0.00	1049.75	0.85	58.41
43:55.1	0	16.20	22.81	15.23	45.46	0.00	1049.75	0.85	58.41
43:55.6	0	16.20	22.03	15.33	45.46	0.00	1049.75	0.85	58.41

Time	Acc %	EBP	IPR	MAP	VGT	Eng Load	RPM	ICP V	Speed
46:30.8	9.5	19.25	35.56	16.64	48.13	10.98	2352.50	1.22	57.17
46:31.3	97.5	19.25	35.56	16.64	48.13	47.06	2352.50	1.22	58.41
46:31.8	97.5	52.16	35.56	16.64	48.13	47.06	2352.50	1.22	58.41
46:32.3	97.5	52.16	88.52	43.43	48.13	47.06	2352.50	1.22	58.41
46:32.8	97.5	52.16	88.52	43.43	17.04	47.06	2352.50	1.22	58.41
46:33.3	97.5	52.16	88.52	43.43	17.04	47.06	2352.50	3.22	58.41
46:33.8	97.5	52.16	88.52	43.43	17.04	83.14	3458.50	3.22	73.94
46:34.3	99.5	53.36	88.52	43.43	17.04	83.14	3458.50	3.22	73.94
46:34.8	99.5	53.36	88.52	43.43	17.04	83.14	3458.50	3.22	73.94
46:35.3	99.5	53.36	93.94	43.43	17.04	83.14	3458.50	3.22	73.94
46:35.8	99.5	53.36	93.94	43.43	15.00	83.14	3458.50	3.09	73.94
46:36.3	99.5	53.36	93.94	43.43	15.00	83.14	3690.75	3.09	73.94
46:36.8	99.5	53.36	93.94	43.43	15.00	82.75	3690.75	3.09	86.99
46:37.3	99.5	53.36	93.94	43.43	15.00	82.75	3690.75	3.09	86.99
46:37.8	99.5	53.36	93.16	43.43	15.00	82.75	3690.75	3.09	86.99
46:38.3	99.5	53.36	93.16	43.43	15.00	82.75	3690.75	3.09	86.99
46:38.8	99.5	53.36	93.16	43.43	15.00	82.75	3690.75	1.06	86.99
46:39.3	99.5	53.36	93.16	43.43	15.00	82.75	2036.75	1.06	88.23
46:39.8	0	53.36	93.16	43.43	15.00	0.00	2036.75	1.06	88.23
46:40.3	0	15.88	93.16	43.43	15.00	0.00	2036.75	1.06	88.23
46:40.8	0	15.88	26.29	15.70	15.00	0.00	2036.75	1.06	88.23
46:41.3	0	15.88	26.29	15.70	30.20	0.00	2036.75	1.06	88.23
46:41.8	0	15.88	26.29	15.70	30.20	0.00	2036.75	1.14	88.23
46:42.3	0	15.88	26.29	15.70	30.20	0.00	1733.25	1.14	77.05
46:42.8	0	16.02	26.29	15.70	30.20	0.00	1733.25	1.14	77.05
46:43.3	0	16.02	26.29	15.70	30.20	0.00	1733.25	1.14	77.05
46:43.8	0	16.02	26.67	15.41	30.20	0.00	1733.25	1.14	77.05
46:44.3	0	16.02	26.67	15.41	40.09	0.00	1733.25	1.00	77.05
46:44.8	0	16.02	26.67	15.41	40.09	0.00	1436.50	1.00	67.73

Time	Acc %	EBP	IPR	MAP	VGT	Eng Load	RPM	ICP V	Speed
48:18.4	5.5	16.57	28.61	15.41	38.81	0.00	1914.00	1.15	52.20
48:18.9	5.5	18.09	28.61	15.41	38.81	0.00	1914.00	1.15	52.20
48:19.4	5.5	18.09	31.70	17.83	38.81	0.00	1914.00	1.15	52.20
48:19.9	5.5	18.09	31.70	17.83	46.02	0.00	1914.00	1.15	52.20
48:20.4	5.5	18.09	31.70	17.83	46.02	0.00	1914.00	1.33	52.20
48:20.9	5.5	18.09	31.70	17.83	46.02	16.47	2007.75	1.33	53.44
48:21.5	18.5	21.35	31.70	17.83	46.02	16.47	2007.75	1.33	53.44
48:21.9	18.5	21.35	31.70	17.83	46.02	16.47	2007.75	1.33	53.44
48:22.4	18.5	21.35	37.11	19.18	46.02	16.47	2007.75	1.33	53.44
48:22.9	18.5	21.35	37.11	19.18	45.64	16.47	2007.75	3.23	53.44
48:23.4	18.5	21.35	37.11	19.18	45.64	16.47	3721.00	3.23	60.27
48:23.9	99.5	21.35	37.11	19.18	45.64	83.14	3721.00	3.23	60.27
48:24.4	99.5	53.36	37.11	19.18	45.64	83.14	3721.00	3.23	60.27
48:24.9	99.5	53.36	93.94	43.46	45.64	83.14	3721.00	3.23	60.27
48:25.4	99.5	53.36	93.94	43.46	15.00	83.14	3721.00	3.23	60.27
48:25.9	99.5	53.36	93.94	43.46	15.00	83.14	3721.00	2.95	60.27
48:26.4	99.5	53.36	93.94	43.46	15.00	83.14	3514.50	2.95	77.05
48:26.9	99.5	53.36	93.94	43.46	15.00	83.14	3514.50	2.95	77.05
48:27.4	99.5	53.36	93.94	43.46	15.00	83.14	3514.50	2.95	77.05
48:27.9	99.5	53.36	93.94	43.35	15.00	83.14	3514.50	2.95	77.05
48:28.4	99.5	53.36	93.94	43.35	15.00	83.14	3514.50	3.45	77.05
48:28.9	99.5	53.36	93.94	43.35	15.00	83.14	3704.50	3.45	90.10
48:29.4	99.5	53.36	93.94	43.35	15.00	82.75	3704.50	3.45	90.10
48:29.9	99.5	53.36	93.94	43.35	15.00	82.75	3704.50	3.45	90.10
48:30.4	99.5	53.36	93.94	43.43	15.00	82.75	3704.50	3.45	90.10
48:30.9	99.5	53.36	93.94	43.43	15.00	82.75	3704.50	3.45	90.10
48:31.4	99.5	53.36	93.94	43.43	15.00	82.75	3704.50	3.77	90.10
48:31.9	0	53.36	93.94	43.43	15.00	0.00	2245.50	3.77	94.45
48:32.4	0	17.33	93.94	43.43	15.00	0.00	2245.50	3.77	94.45
48:32.9	0	17.33	28.61	17.15	15.00	0.00	2245.50	3.77	94.45
48:33.4	0	17.33	28.61	17.15	27.41	0.00	2245.50	3.77	94.45
48:33.9	0	17.33	28.61	17.15	27.41	0.00	1785.75	1.08	94.45
48:34.4	0	17.33	28.61	17.15	27.41	0.00	1785.75	1.08	79.54
48:34.9	0	15.84	28.61	17.15	27.41	0.00	1785.75	1.08	79.54
48:35.4	0	15.84	25.13	15.52	27.41	0.00	1785.75	1.08	79.54
48:35.9	0	15.84	25.13	15.52	42.14	0.00	1785.75	0.87	79.54
48:36.4	0	15.84	25.13	15.52	42.14	0.00	1133.00	0.87	60.89
48:36.9	0	15.84	25.13	15.52	42.14	0.00	1133.00	0.87	60.89
48:37.4	0	15.84	22.81	15.52	42.14	0.00	1133.00	0.87	60.89
48:37.9	0	15.84	22.81	15.33	42.14	0.00	1133.00	0.87	60.89
48:38.4	0	15.84	22.81	15.33	50.82	0.00	1133.00	0.83	60.89
48:38.9	0	15.84	22.81	15.33	50.82	0.00	1333.75	0.83	55.92
48:39.4	7.5	15.84	22.81	15.33	50.82	9.02	1333.75	0.83	55.92